




ABRASIVES



WE SUPPLY THE INDUSTRY

Abrasives

A comprehensive range of abrasive products manufactured to the World Safety Standard (OSA) & EN Specification to ensure product performance, durability & consistency.



Cutting Wheels



3-in-1 Discs




Grinding Discs




Rubbing Bricks




Grinding Wheels



Sharpening Stones



Flap Discs



Resin Fibre Discs




Sanding Belts



Discs, Belts Pre-Packs



Sanding Sheets




Abrasive Rolls



Flap Wheels



Clean & Strip Wheels



Orbital Sander Sheets



Abrasive Sponge Blocks



Mirlon Rolls & Pads

Silicon Carbide grain for cutting masonry, concrete, stone, tiles & non-ferrous metals

Fox Cutting Wheels are manufactured to World OSA and EN Specifications ensuring safety, quality & consistency in performance

The manufacturing plants are ISO 9002 certified



MASONRY CONCRETE STONE TILES NON-FERROUS METALS



DON'T GRIND ON WHEEL FACE




DRY CUTTING ONLY




World Safety Standard
Max. Safe Operating Speed
Wheel Dimensions
World Safety Standard

Single Wheels

Code	A - Ø mm	B - Thickness mm	C - Hole Ø mm	Case Qty
FOX91250	100	2,0	16,00	25
FOX91260	115	3,0	22,23	25
FOX91265	125	3,0	22,23	25
FOX91270	180	3,0	22,23	25
FOX91275	230	3,0	22,23	25
FOX91280	350	3,0	25,40	10



Masonry Cutting Wheel
FOX91275



100 115 125 180 230 350

STEEL CUTTING WHEELS

White Aluminium Oxide grain with a bond which offers long life & excellent stock removal. Fast cuts on steel, cast iron & welds

Thin cut-off wheels (1mm) give maximum utility & cut capacity. Recommended for cutting metal profiles & steel mesh

Fox Cutting Wheels are manufactured to World OSA and EN Specifications ensuring safety, quality & consistency in performance The manufacturing plants are ISO 9002 certified



STEEL



DON'T GRIND ON WHEEL FACE



DRY CUTTING ONLY

SINGLE WHEELS

Code	A - Ø mm	B - Thickness mm	C - Hole Ø mm	Case Qty
FOX91350	100	2,0	16,00	25
FOX91355	115	1,0	22,23	25
FOX91358	115	1,0	22,23	25
FOX91360	115	2,5	22,23	25
FOX91365	125	3,0	22,23	25
FOX91370	180	3,0	22,23	25
FOX91373	230	3,0	22,23	25
FOX91375	230	3,0	22,23	25
FOX91380	300	3,0	25,40	10
FOX91385	350	3,0	25,40	10

Professional Standard




EN12413




World Safety Standard

Max. Safe Operating Speed

Wheel Dimensions



Steel Cutting Wheel FOX91375



100

115

125

180

230

300

350



ULTRA STEEL CUTTING WHEELS

High performance steel cutting wheels offering optimum cool cutting and long life



EN12413



STEEL



DON'T GRIND ON WHEEL FACE



DRY CUTTING ONLY

SINGLE WHEELS

Code	A - Ø mm	B - Thickness mm	C - Hole Ø mm	Case Qty
FOX92350	230	3,0	22,23	20

Industrial

STEEL CUTTING WHEEL - SINGLE REINFORCED

Single internal reinforced fiberglass construction for use on lowpower floor stand machines. Offers high cutting performance

Protects machine motor against straining & "burn-out".



STEEL



STAINLESS



NON-FERROUS METALS



PLASTICS




DRY CUTTING ONLY

Single Wheels


Code	A - Ø mm	B - Thickness mm	C - Hole Ø mm	Case Qty
FOX91390	350	3,0	25,40	10
FOX91376	400	4,0	40,00	10



EN12413



350



Wheel Dimensions
World Safety Standard
Max. Safe Operating Speed



Steel Cutting Wheel FOX91390

* Bushes available from 40mm to 25,4mm

STAINLESS STEEL CUTTING WHEELS

White Aluminium Oxide grain which is contaminate free (iron,sulphur & chlorine <0,1%) and does not cause corrosion whilst giving fast stock removal on stainless steel and steel



STAINLESS



STEEL



DON'T GRIND ON WHEEL FACE



DRY CUTTING ONLY

Single Wheels


Code	A - Ø mm	B - Thickness mm	C - Hole Ø mm	Case Qty
FOX91420	115	1,0	22,23	25
FOX91425	115	1,6	22,23	25



EN12413



115



World Safety Standard
Wheel Dimensions
Max. Safe Operating Speed



Steel Cutting Wheel FOX91420

STEEL GRINDING DISCS


Fox Grinding Discs are manufactured to World OSA and EN Specifications ensuring safety, quality & consistency in performance. The manufacturing plants are ISO 9002 certified Aluminium Oxide grain for longer life & excellent stock removal on metal.



STEEL



DRY CUTTING ONLY



SINGLE WHEELS

Code	A - Ø mm	B - Thickness mm	C - Hole Ø mm	Case Qty
FOX92181	100	4,5	22,23	10
FOX92182	115	6,0	22,23	10
FOX92183	125	6,0	22,23	10
FOX92184	180	6,0	22,23	10
FOX92185	230	6,0	22,23	10
FOX91374	230	6,0	22,23	10

Professional



STAINLESS STEEL GRINDING DISCS

White Aluminium Oxide grain which is contaminate free (iron, sulphur & chlorine <0,1%) for fast stock removal on stainless steel & steel.



STAINLESS




STEEL



DRY CUTTING ONLY

SINGLE WHEELS

Code	A - Ø mm	B - Thickness mm	C - Hole Ø mm	Case Qty
FOX91450	115	6,0	22,23	10



3-IN-1 DISCS

White Aluminium Oxide grain which is contaminate free (iron, sulphur & chlorine <0,1%) for fast stock removal on stainless steel & steel.



STAINLESS



STEEL




DRY CUTTING ONLY



CUT, GRIND & FINISH
ALL WITH ONE DISC!

SINGLE WHEELS

Code	A - Ø mm	B - Thickness mm	C - Hole Ø mm	Case Qty
FOX91267	115	3,0	22,23	10



MASONRY GRINDING DISCS




SINGLE WHEELS

Code	A - Ø mm	B - Thickness mm	C - Hole Ø mm	Case Qty
FOX91600	115	6,0	22,23	10
FOX91610	230	6,0	22,23	10



SPANZEC MASONRY GRINDING DISCS




SINGLE WHEELS

Code	A - Ø mm	B - Thickness mm	C - Hole Ø mm	Case Qty
FOX91830	115	6,0	22,23	10
FOX91835	180	6,0	22,23	10

RESIN BONDED RUBBING BRICKS

Resin Bonded with a Silicon Carbide grain for leveling or grinding of concrete or masonry materials
Can be used by hand or on machines



Code	A - Width mm	B - Thickness mm	C - Length mm	Grit
FOX92570	50	50	100	Fine C80
FOX92571	50	50	100	Medium C46
FOX92572	50	50	100	Coarse C24
FOX92573	50	50	100	X-Coarse C16
FOX92580	50	50	200	Coarse C24
FOX92585	50	50	200	Medium C46
FOX92590	50	50	200	Fine C80



GENERAL PURPOSE GRINDING WHEELS

Vitrified wheels for use on bench & pedestal grinders. Used for grinding steel and other metals. Available in a large range of sizes & grits for all machines & applications



To accommodate different shaft sizes a range of plastic bushes are available



STEEL



Max. Safe Operating Speed
Wheel Dimensions
Grit



Code	A - Ø mm	B - Thickness mm	C - Hole Ø mm	Grit
FOX92200	150	20	31,75	A36
FOX92205	150	20	31,75	A46
FOX92210	150	20	31,75	A60
FOX92215	150	20	31,75	GC60
FOX92230	150	25	31,75	A36
FOX92235	150	25	31,75	A46
FOX92240	150	25	31,75	A60
FOX92245	150	25	31,75	GC60
FOX92270	200	20	31,75	A36
FOX92275	200	20	31,75	A46
FOX92280	200	20	31,75	A60
FOX92285	200	20	31,75	GC60
FOX92300	200	25	31,75	A36
FOX92305	200	25	31,75	A46
FOX92310	200	25	31,75	A60
FOX92315	200	25	31,75	GC60

A36 - Coarse; A46 - Medium; A60 - Fine; GC60 for use on Tungsten Carbide tipped tools. Range of standard sizes held in stock. Other sizes available on request.

HITACHI HITACHI GRINDING WHEEL

POWER TOOLS

For use on Hitachi GP13 straight grinder
Ideally suited for grinding or polishing internal surfaces
Excellent for polishing awkward shapes

Code	A - Ø mm	B - Thickness mm	C - Hole Ø mm	Grit
HTC951021	125	19	12.70	A36



foxabrasives SHARPENING STONES

High quality & long lasting sharpening stone for sharpening knives, chisels, planes and other tools. Achieves top finishes and maintains life/performance of cutting blades



Code	A - Width mm	B - Thickness mm	C - Length mm	Grit
FOX93500	50	25	200	Fine/Medium
FOX93505	50	25	200	Very Fine



COMBINATION OILSTONE

Designed for use by carpenters and mechanics, combination stones are made with one face of coarse and one face of fine grit. Rapid cutting quality and may be used dry or with oil



Code	Size
HON4080	200 mm

FLAP DISCS


Fox Flap Discs are made of Alumina Zirconia coated flaps fastened to a glass fibre backing Zirconia is a premium grain offering toughness, durability & reducing heat whilst grinding

Achieves blending & finishing in one operation, replacing grinding discs & resin fibre discs

Increased performance & reduced downtime (less changing of discs) makes for cost savings & improved productivity


Uses: grinding & finishing of welds, deburring, rust removal & snagging all ferrous & non-ferrous materials excellent for surface finishing inaccessible locations.

Materials: stainless steel, high-alloyed steel & heat treated steel, stone, marble, plastics, perspex, wood, tiles



STANDARD RANGE

Code	A - Ø mm	B - Hole Ø mm	Grit
FOX91518	115	22,23mm	Z40
FOX91520	115	22,23mm	Z60
FOX91522	115	22,23mm	Z80
FOX91524	115	22,23mm	Z120



PROFESSIONAL RANGE

Code	A - Ø mm	B - Hole Ø mm	Grit
FOX91500	115	22,23mm	Z40
FOX91505	115	22,23mm	Z60
FOX91510	115	22,23mm	Z80
FOX91515	115	22,23mm	Z120
FOX91530	178	22,23mm	Z40
FOX91535	178	22,23mm	Z60
FOX91540	178	22,23mm	Z80
FOX91545	178	22,23mm	Z120

Professional Flap Discs are manufactured with a higher grade fibre backing and increased number of abrasive flaps for longer life and increased performance.



RESIN FIBRE DISCS

Aluminium Oxide grain on a vulcanized fibre backing with a heat resistant resin bond for a fast & cool cutting performance Offers long life & high stock removal on metal & welds

Uses: Weld grinding, blending, finishing & deburring, used on ferrous metals, plastics, wood, fibreglass, paint & body fillers



NON-FERROUS METALS STAINLESS STEEL PLASTICS WOOD



PAINT & BODY FILLERS





DRY CUTTING ONLY



SINGLE DISCS

Code	A - Ø mm	B - Hole Ø mm	Grit
FOX91690	115	22,23mm	P24
FOX91695	115	22,23mm	P36
FOX91700	115	22,23mm	P60
FOX91705	115	22,23mm	P80
FOX91710	115	22,23mm	P100
FOX91790	178*	22,23mm	P16
FOX91795	178*	22,23mm	P24
FOX91800	178*	22,23mm	P36
FOX91805	178*	22,23mm	P60
FOX91810	178*	22,23mm	P80
FOX91815	178*	22,23mm	P100

*178mm for use on a 230mm Angle Grinder with a back-up pad.



SANDING BELTS - PORTABLE


For easy and fast preparation of large surfaces for painting

Wide range of sizes

Cloth backed product with a high tensile strength for optimum stretching resistance

Available in a range of grits from fine to coarse

10 belts per pack



SINGLE BELTS (SOLD 10 PER PACK)

Code	A - mm	B - mm	Grit	Code	A - mm	B - mm	Grit
FOX90500	13	455	P40	FOX90850	75	610	P40
FOX90505	13	455	P60	FOX90855	75	610	P60
FOX90510	13	455	P80	FOX90860	75	610	P80
FOX90515	13	455	P100	FOX90865	75	610	P100
FOX90550	60	400	P40	FOX90900	100	530	P40
FOX90555	60	400	P60	FOX90905	100	530	P60
FOX90560	60	400	P80	FOX90910	100	530	P80
FOX90565	60	400	P100	FOX90915	100	530	P100
FOX90600	65	410	P40	FOX90950	100	560	P40
FOX90605	65	410	P60	FOX90955	100	560	P60
FOX90610	65	410	P80	FOX90960	100	560	P80
FOX90615	65	410	P100	FOX90965	100	560	P100
FOX90650	75	457	P40	FOX91000	100	610	P40
FOX90655	75	457	P60	FOX91005	100	610	P60
FOX90660	75	457	P80	FOX91010	100	610	P80
FOX90665	75	457	P100	FOX91015	100	610	P100
FOX90700	75	480	P40	FOX91050	100	620	P40
FOX90705	75	480	P60	FOX91055	100	620	P60
FOX90710	75	480	P80	FOX91060	100	620	P80
FOX90715	75	480	P100	FOX91065	100	620	P100
FOX90750	75	510	P40	FOX91080	100	915	P40
FOX90755	75	510	P60	FOX91085	100	915	P60
FOX90760	75	510	P80	FOX91090	100	915	P80
FOX90765	75	510	P100	FOX91095	100	915	P100
FOX90800	75	530	P40	FOX91020	110	620	P40
FOX90805	75	530	P60	FOX91025	110	620	P60
FOX90810	75	530	P80	FOX91030	110	620	P80
FOX90815	75	530	P100	FOX91035	110	620	P100



ABRASIVE DISCS - 5 PER PACK

Easy identification of size, grit & hole pattern

Various popular sizes for general use with many types of machines

Self fastening, paper backed for wet & dry sanding

Code	Size/Product Description	Grit
FOX96600	115mm Resin Fibre Disc	Fine
FOX96605	115mm Resin Fibre Disc	Medium
FOX96610	115mm Resin Fibre Disc	Coarse
FOX96640	125mm Sanding Disc	Fine
FOX96645	125mm Sanding Disc	Medium
FOX96650	125mm Sanding Disc	Coarse
FOX96870	125mm 8 Hole Velcro Disc	Fine
FOX96875	125mm 8 Hole Velcro Disc	Medium
FOX96880	125mm 8 Hole Velcro Disc	Coarse
FOX96680	150mm Sanding Disc	Fine
FOX96685	150mm Sanding Disc	Medium
FOX96690	150mm Sanding Disc	Coarse
FOX96800	150mm 6 Hole Velcro Disc	Fine
FOX96805	150mm 6 Hole Velcro Disc	Medium
FOX96810	150mm 6 Hole Velcro Disc	Coarse
FOX96900	150mm 8 Hole Velcro Disc	Fine
FOX96905	150mm 8 Hole Velcro Disc	Medium
FOX96910	150mm 8 Hole Velcro Disc	Coarse
FOX96770	150mm O Hole Velcro Disc	Fine
FOX96775	150mm O Hole Velcro Disc	Medium
FOX96780	150mm O Hole Velcro Disc	Coarse

FOX96930 150mm Conversion Kit (PSA glue backed to Velcro)



ABRASIVE BELTS - 2 PER PACK

Display packed for easy identification of size and grit

Extensive range of sizes to fit all portable sanding machines

Cloth backed product with optimum stretching resistance

For fast preparation of large surfaces

Code	Size	Grit	Code	Size	Grit
FOX96000	13 x 455mm	Fine	FOX96230	75 x 530mm	Coarse
FOX96005	13 x 455mm	Medium	FOX96250	75 x 610mm	Fine
FOX96010	13 x 455mm	Coarse	FOX96255	75 x 610mm	Medium
FOX96050	60 x 400mm	Fine	FOX96260	75 x 610mm	Coarse
FOX96055	60 x 400mm	Medium	FOX96280	100 x 530mm	Fine
FOX96060	60 x 400mm	Coarse	FOX96285	100 x 530mm	Medium
FOX96080	65 x 410mm	Fine	FOX96290	100 x 530mm	Coarse
FOX96085	65 x 410mm	Medium	FOX96310	100 x 560mm	Fine
FOX96090	65 x 410mm	Coarse	FOX96315	100 x 560mm	Medium
FOX96110	75 x 457mm	Fine	FOX96320	100 x 560mm	Coarse
FOX96115	75 x 457mm	Medium	FOX96350	100 x 610mm	Fine
FOX96120	75 x 457mm	Coarse	FOX96355	100 x 610mm	Medium
FOX96150	75 x 480mm	Fine	FOX96360	100 x 610mm	Coarse
FOX96155	75 x 480mm	Medium	FOX96380	100 x 620mm	Fine
FOX96160	75 x 480mm	Coarse	FOX96385	100 x 620mm	Medium
FOX96180	75 x 510mm	Fine	FOX96390	100 x 620mm	Coarse
FOX96185	75 x 510mm	Medium	FOX96450	110 x 620mm	Fine
FOX96190	75 x 510mm	Coarse	FOX96455	110 x 620mm	Medium
FOX96220	75 x 530mm	Fine	FOX96460	110 x 620mm	Coarse
FOX96225	75 x 530mm	Medium			



SANDING SHEETS - EMERY CLOTH

Extremely tough & durable cloth backed product coated with Aluminium Oxide grain which is highly flexible and for use in the metal working industry



NON-FERROUS METALS STEEL STAINLESS

Code	Size	Grit	Qty/Pack
FOX92700	230mm x 280mm	Fine	50
FOX92705	230mm x 280mm	Medium	50
FOX92710	230mm x 280mm	Coarse	50



SANDING SHEETS - CABINET PAPER

Paper backed product coated with Aluminium Oxide grain for sanding of all wooden products. Offered in a range of grits from very coarse (P40) to very fine (P240) for all applications of stock removal and finishes

The sharp, quality grain offers a fast cutting action & long life



WOOD



PROFESSIONAL RANGE

Code	Size	Grit	Qty/Pack
FOX92600	230mm x 280mm	P40	50
FOX92605	230mm x 280mm	P60	50
FOX92610	230mm x 280mm	P80	50
FOX92615	230mm x 280mm	P100	50
FOX92620	230mm x 280mm	P120	50
FOX92625	230mm x 280mm	P150	50
FOX92630	230mm x 280mm	P180	50
FOX92635	230mm x 280mm	P220	50

STANDARD RANGE

Code	Size	Grit	Qty/Pack
FOX92650	230mm x 280mm	P40	50
FOX92652	230mm x 280mm	P60	50
FOX92654	230mm x 280mm	P80	50
FOX92656	230mm x 280mm	P100	50
FOX92658	230mm x 280mm	P120	50
FOX92660	230mm x 280mm	P150	50
FOX92662	230mm x 280mm	P180	50
FOX92664	230mm x 280mm	P220	50



SANDING SHEETS - WATER PAPER


Latex Paper (waterproof) backed product coated with a Silicon Carbide grain for fast cutting & superior finishes in the car repair sector. Suitable for sanding flaky paint, varnish, perspex & plastics



PAINT



PLASTICS



PROFESSIONAL RANGE

Code	Size	Grit	Qty/Pack
FOX92900	230mm x 280mm	P60	50
FOX92905	230mm x 280mm	P80	50
FOX92910	230mm x 280mm	P100	50
FOX92915	230mm x 280mm	P120	50
FOX92930	230mm x 280mm	P150	50
FOX92935	230mm x 280mm	P180	50
FOX92940	230mm x 280mm	P220	50
FOX92945	230mm x 280mm	P320	50
FOX92950	230mm x 280mm	P360	50
FOX92955	230mm x 280mm	P400	50
FOX92960	230mm x 280mm	P600	50
FOX92965	230mm x 280mm	P800	50
FOX92970	230mm x 280mm	P1000	50
FOX92975	230mm x 280mm	P1200	50
FOX92980	230mm x 140mm	P1500	50
FOX92985	230mm x 140mm	P2000	50

STANDARD RANGE

Code	Size	Grit	Qty/Pack
FOX93300	230mm x 280mm	P80	50
FOX93305	230mm x 280mm	P100	50
FOX93310	230mm x 280mm	P120	50
FOX93315	230mm x 280mm	P150	50
FOX93320	230mm x 280mm	P180	50
FOX93325	230mm x 280mm	P220	50
FOX93330	230mm x 280mm	P320	50
FOX93335	230mm x 280mm	P360	50
FOX93340	230mm x 280mm	P400	50
FOX93345	230mm x 280mm	P600	50
FOX93350	230mm x 280mm	P800	50
FOX93355	230mm x 280mm	P1000	50
FOX93360	230mm x 280mm	P1200	50






STEEL



STAINLESS



NON-FERROUS METALS



WOOD

ECONOMY ROLLS

Manufactured using a tough, durable & highly flexible cloth backing coated with Aluminium Oxide grain. May be used on all materials especially steel

Code	Product Description	Grit
FOX91890	50mm x 50 Metre Economy Roll	P40
FOX91895	50mm x 50 Metre Economy Roll	P60
FOX91900	50mm x 50 Metre Economy Roll	P80
FOX91905	50mm x 50 Metre Economy Roll	P100
FOX91910	50mm x 50 Metre Economy Roll	P120
FOX91915	50mm x 50 Metre Economy Roll	P150
FOX91920	50mm x 50 Metre Economy Roll	P180
FOX91925	50mm x 50 Metre Economy Roll	P240
FOX91840	50mm x 50 Metre Economy Roll Prof.	P40
FOX91845	50mm x 50 Metre Economy Roll Prof.	P60
FOX91850	50mm x 50 Metre Economy Roll Prof.	P80
FOX91855	50mm x 50 Metre Economy Roll Prof.	P100
FOX91860	50mm x 50 Metre Economy Roll Prof.	P120
FOX91865	50mm x 50 Metre Economy Roll Prof.	P150
FOX91870	50mm x 50 Metre Economy Roll Prof.	P180
FOX91875	50mm x 50 Metre Economy Roll Prof.	P240



PRODUCTION PAPER ROLLS

Manufactured using a heavy duty paper backing for use on a body file whilst sanding fillers in the repairing of motor vehicle bodies

Code	Product Description	Grit
FOX92400	70mm x 50 Metre Production Paper Roll	P36
FOX92405	70mm x 50 Metre Production Paper Roll	P60
FOX92410	70mm x 50 Metre Production Paper Roll	P80
FOX92430	Production Paper Holder/Body File	-



Production Paper Holder
FOX92430

FLOOR PAPER

Manufactured using a very heavy duty paper backing and supplied in both 1 metre & 50 metre lengths
For use in all general purpose heavy duty cleaning or sanding of walls, plaster or floors

Code	Product Description	Grit
FOX92150	300mm x 1 Metre Floor Paper Strip	P40
FOX92155	300mm x 1 Metre Floor Paper Strip	P60
FOX92160	300mm x 1 Metre Floor Paper Strip	P80
FOX92165	300mm x 1 Metre Floor Paper Strip	P100
FOX92170	300mm x 50 Metre Floor Paper Roll	P40
FOX92175	300mm x 50 Metre Floor Paper Roll	P60
FOX92180	300mm x 50 Metre Floor Paper Roll	P80
FOX92186	300mm x 50 Metre Floor Paper Roll	P100



FLAP WHEELS

Aluminium Oxide coated Cloth flaps mounted on a wheel for use on both steel & wood products
 May be used for general stock removal or achieving high finishes/polishing



STEEL



WOOD

Code	Size	Grit
FOX91965	165 x 25mm	P60
FOX91970	165 x 25mm	P80
FOX91975	165 x 25mm	P120
FOX92010	165 x 50mm	P80
FOX92015	165 x 50mm	P100



FLAP WHEELS - SPINDLE MOUNTED

Aluminium Oxide coated cloth flaps for cleaning or polishing of all metal or wood products



STEEL



WOOD

Code	Size	Grit
FOX92040	30 x 10mm	P60
FOX92042	30 x 10mm	P80
FOX92044	30 x 10mm	P150
FOX92050	40 x 20mm	P60
FOX92052	40 x 20mm	P80
FOX92054	40 x 20mm	P150
FOX92060	50 x 30mm	P60
FOX92062	50 x 30mm	P80
FOX92064	50 x 30mm	P150
FOX92070	60 x 40mm	P60
FOX92072	60 x 40mm	P80
FOX92074	60 x 40mm	P150
FOX92080	80 x 50mm	P60
FOX92082	80 x 50mm	P80
FOX92084	80 x 50mm	P150



CLEANING AND STRIPPING WHEELS (Sold Loose)

Clean & Strip wheel for removing paint & cleaning
 Easy access into grooves and corners

Code	Size	Grit
FOX92090	100mm Ø on 6mm spindle	Medium
FOX92092	150mm Ø on 6mm spindle	Medium



ORBITAL SANDER SHEETS - 3 PER PACK

For use with hand held power tools or free-hand sanding
Specially designed for wood sanding

Code	Size	Grit
FOX97000	95 x 230mm	Fine
FOX97005	95 x 230mm	Medium
FOX97010	95 x 230mm	Coarse
FOX97030	115 x 280mm	Fine
FOX97035	115 x 280mm	Medium
FOX97040	115 x 280mm	Coarse



ABRASIVE SPONGE BLOCKS - SOLD PER 40

Hand sanding block coated on 4-sides
For easy access in sanding grooves or corners


Code	Product Description	Grit
FOX93600	Sponge Pad	Medium
FOX93605	Sponge Pad	Fine
FOX93610	Sponge Pad	Very Fine
FOX93603	Sponge Block	Medium
FOX93607	Sponge Block	Fine
FOX93615	Sponge Block	Coarse



MIRLON ROLLS & PADS

Mirlon is a flexible 3-dimensional fibre sanding material
Provides an excellent surface finish
Easy to use on profiled surfaces
Green for general purpose use & Maroon for very fine finishes

Code	Product Description	Grit
FOX92500	Per 40 - Mirlon Pad 140 x 230mm	Fine (Green)
FOX92505	Per 40 - Mirlon Pad 140 x 230mm	Very Fine (Maroon)
FOX92515	Per Roll - Mirlon Roll 140 x 10 M	Fine (Green)
FOX92520	Per Roll - Mirlon Roll 140 x 10 M	Very Fine (Maroon)





Contact no office: 071 852 7089

Email: sales@fotodesign.co.za

Website: www.fotodesign.co.za

WE SUPPLY THE INDUSTRY